LIST OF CONTENTS

NUMBER 1

Editorial	I	25th Anniversary
Shin-ichi Kuroda, Koichiro Terauchi, Kyohei Nogami and Itaru Mita	1	Degradation of aromatic polymers—I. Rates of crosslinking and chain scission during thermal degradation of several soluble aromatic polymers
Danuta Sęk and Aleksandra Wolińska	9	Structure–properties relationship for liquid crystalline copolyesteramides
N. C. Billingham, M. G. Proctor and J. D. Smith	15	Sequence distributions in polymers and copolymers from β-butyrolactone
J. Bartoš and Z. Hloušková	21	A study of local mobility in poly(isobutylene) by the spin probe method
Alfonso J. Chirinos Padrón and Gratiana Aguirre	25	Stabilization of high density polyethylene by *o*-hydroxybenzophenone derivatives
J. Foks, H. Janik, R. Russo and S. Winiecki	31	Morphology and thermal properties of polyurethanes prepared under different conditions
G. B. Gedraitite, A. P. Mar'in and Yu. A. Shlyapnikov	39	The size distribution of additive sorption centres in polyethylene
V. Petraccone, B. Pirozzi and S. V. Meille	43	Energetic feasibility of adjacent re-entry chain folding in crystals of isotactic polypropylene
F. Minto, M. Gleria, P. Bortolus, S. Daolio, B. Facchin, C. Pagura and A. Bolognesi	49	Ultraviolet functionalization of poly[bis(4-isopropylphenoxy)]phosphazene surfaces: an infrared and a SIMS study
Finizia Auriemma, Paolo Corradini, Antonio Roviello and Michele Vacatello	57	The phase behaviour of solutions of nematic dimers constituted by two rigid groups linked by flexible spacers
F. Lugadet, A. Deffieux, C. Servens et M. Fontanille	63	Synthèse de polybutadiènes nitrés hydroxytéléchéliques par nitromercuration–demercuration—I. Étude de la réaction de nitromercuration
A. Daro, F. Zabeau and C. David	71	Degradation of polymer blends—III. Radiolysis of blends of poly(methyl methacrylate) with styrene–acrylonitrile copolymers
N. Theophilou, R. Aznar, A. Munardi, J. Sledz, F. Schué et H. Naarmann	75	Optimisation de la morphologie du polyacétylène synthetisé par un nouveau amorceur [$Ti(CH_2\phi)_4$/$Al(C_2H_5)_3$] dans l'huile de silicone
Takashi Sasaki, Kazunari Nawa, Masahide Yamamoto and Yasunori Nishijima	79	Local chain dynamics of poly(methyl methacrylate) in non-entangled concentrated solutions studied by the fluorescence depolarization method
J. G. Rodriguez, F. Carreño, C. Fernandez-Sanchez and R. Alcantara	85	Polymerization of 3-methoxy-3-phenylpropene with VCl_3–$AlEt_3$: analysis of the side-reactions contributing to the understanding of the mechanism of Ziegler–Natta reaction
H. David, J. Bouzon and J. M. Vergnaud	89	Modelling of absorption and desorption of a liquid by a polymer device made of a core and a shell

Short Communications

Tae-Oan Ahn, Sukmin Lee and Han-Mo Jeong 95 Miscibility in blends of poly(ethylene terephthalate) and poly(bisphenol-A-carbonate)

Ebhodaghe F. Okieimen and Felix Egharevba 99 Graft copolymerization of ethyl acrylate on starch

Corrigenda 103

Announcements i

NUMBER 2

Hubert Daoust and Pierre Ferland 105 Solvent-induced conformational change of poly-(L-ornithine) and poly(L-lysine) hydrobromides in water-2-chloroethanol mixed solvent

G. O. R. Alberda van Ekenstein, H. J. H. Altena and Y. Y. Tan 111 Polymerization of 4-biphenyl methacrylate; a kinetic study

Bunichiro Yamada, Toshihiko Tanaka and Takayuki Otsu 117 Correlations of ceiling temperature and reactivity with bulkiness of *ortho*-substituent in radical polymerization of phenyl methacrylate

A. Gozlan and A. Zilkha 121 Electrochemical polymerization of 10-undecenoic acid

A. Z. El-Sonbati, M. A. Ahmed, F. M. Reicha and M. A. Diab 125 Conducting polymers—II. Electrical conductivity of poly(bis-2,6-diaminopyridinesulphoxide)

Y. Yağci, J. Borbely and W. Schnabel 129 On the mechanism of acylphosphine oxide promoted cationic polymerization

J. C. Gressier 133 Synthèse de polyacrylates dithiocarboxyliques—I. Synthèse des monomères

C. A. Barson, G. M. Burt, D. R. Illsley and R. S. Lehrle 141 A radiotracer technique for measuring solute diffusion with zero concentration gradient: diffusion of benzoic acid through polyethylene film

Norman S. Allen, Peter J. Robinson, Nicholas J. White and Roy Clancy 145 Photo-oxidative stability and photoyellowing of electron-beam cured multifunctional di- and tri-acrylate resin films

F. M. Galloway, M. M. Hirschler and G. F. Smith 149 Model for the generation of hydrogen chloride from the combustion of poly(vinyl chloride) under conditions of forcefully minimised decay

R. Stephen Davidson and Christopher Lowe 159 Use of u.v./visible photoacoustic spectroscopy to study the photoinduced crosslinking of oligomers containing chalcone units

R. Stephen Davidson and Christopher Lowe 167 A study of some photocrosslinkable resins using i.r. spectroscopy

R. Stephen Davidson and Christopher Lowe 173 A simple statistical model for predicting the efficiency of photocrosslinking in polymers containing groups which undergo [2 + 2] cycloaddition reactions

M. Pocci, V. Bertini, A. De Munno, N. Picci and F. Lucchesini 177 Polymeric β-adrenergic antagonist derivatives: vinyl copolymers containing 3,4-dichloroisoproterenol residues

L. Audouin-Jirackova, G. Papet and J. Verdu 181 Effect of radiochemical ageing on the tensile properties of high density polyethylene

S. M. Lahalih and I. S. Dairanieh 187 Development of novel polymeric drilling mud dispersants

R. B. Naik and P. P. Shah 193 Synthesis and properties of some polycyanurates

J. L. Bourdelande, C. Campà, J. Font and P. de March 197 Spectroscopic properties and photochemical behaviour of polymers with covalently bound tris(bipyridine)ruthenium(II) complex. Use of a hydrophilic chain as spacer

C. Salom and I. Hernández-Fuentes 203 Temperature dependence of poly(phenylsiloxanes) dipole moment

Akira Matsumoto, Masaya Kurokawa and Masayoshi Oiwa 207 Studies of the polymerization of diallyl compounds —XLIII. Microheterogeneous copolymerization of diallyl terephthalate with vinyl monomers having long-chain alkyl groups

Announcements i

NUMBER 3

M. F. Grenier-Loustalot, M. Audenaert, J. Boutillier, A. Gascoin et D. Lecacheux 211 Microstructure de copolymères éthylène, méthacrylate de glycidyle et acétate de vinyle par IRTF et par RMN ^{13}C et ^{1}H haute résolution dans les liquides

T. Annable, D. H. Cranston and I. Soutar 221 Polarisation characteristics of excimer emissions from polymers in fluid media

Bernabé L. Rivas, Guido S. Canessa and Sonia A. Pooley 225 Copolymerization via zwitterion—10. Copolymerization of 2-ethyl-2-oxazoline and acrylic acid

Bernabé L. Rivas and G. del C. Pizarro 231 Copolymerization via zwitterion—12. Copolymerization of 2-ethyl-2-oxazoline with *o*- and *p*-methylphenylmaleimide

Akira Matsumoto, Hideaki Matsuo, Hiroyuki Ando and Masayoshi Oiwa 237 Solvent effect in the copolymerization of methyl methacrylate with oligoglycol dimethacrylate

Adam Gronowski and Zbigniew Wojtczak 241 Copolymerizations of styrene with lithium acrylate and with lithium methacrylate in dimethylsulphoxide

P. Šimon, P. Černay and L. Valko 245 MINDO/3 study of HCl elimination from PVC model compounds

C. P. Reghunadhan Nair and G. Clouet 251 Effects of solvent and temperature on the copolymerizations of 2-acryloyloxyethyl diethyl phosphate with methyl methacrylate and styrene

C. A. Barson, J. C. Bevington and S. W. Breuer 259 Studies of end-groups in poly(methyl methacrylate) prepared using benzoyl peroxide in the presence of diphenylpropenes

J. Devaux, J. Sledz, F. Schué, L. Giral and H. Naarmann 263 Some observations about polysilane synthesis

M. Nasir, B. T. Poh and P. S. Ng 267 The effect of γ-mercaptopropyltrimethoxysilane coupling agent on t_{90}, tensile strength and tear strength of silica-filled ENR vulcanisates

Anastasios P. Melissaris and John A. Mikroyannidis 275 Phosphorus-containing crosslinkable polymers for fire- and heat-resistant applications

K. Jeremić, Lj. Ilić, S. Jovanović and M. D. Lechner 281 Behaviour of dextran in dilute aqueous solution under high pressure and different temperatures. Investigation by dynamic light scattering

Jean-Paul Pillot, Jacques Dunogues, Jacqueline Gerval, Minh Dao The and Mai Van Thanh 285 Hydrosilylation of cardanol by methyldichlorosilane—application to the synthesis of new silicone grafted phenolic resins

Neil A. Weir and Kenneth Whiting 291 Initial steps in the photolysis and photooxidation of polystyrene

Zoran S. Petrović and Ljiljana Korugić-Perković 297 Trifluoroacetylation of segmented polyurethanes

Hitoshi Kubota and Yoshitaka Ogiwara 301 β-Methylanthraquinone-sensitized photopolymerization of methyl methacrylate in *iso*-propanol/hydrocarbon solvents

Adolphe Chapiro et Claude Legris 305 Étude de gels formés par irradiation de poly(*N*-vinylpyrrolidone) en solution

Short Communications

Oya Galioğlu and Ahmet Akar 313 Polymer-bound sulphonyl hydrazine and reaction with cycloketones

I. Fortelný and J. Kovář 317 Droplet size of the minor component in the mixing of melts of immiscible polymers

E. M. Kampouris and A. G. Andreopoulos 321 The effect of the gel content of crosslinked polyethylene on its physical properties

Corrigendum 325

Announcement i

NUMBER 4

P. Hodge and A. A. Naim 327 Synthesis of crosslinked polymers containing benzoyl peroxide groups and their use as initiators

Hamid Tbal, Joelle Morcellet, Michèle Delporte and Michel Morcellet 331 Macroporous polymers derived from vinylamine; synthesis and characterization

S. Shkolnik and A. Mey-Marom 341 Effect of trunk polymer orientation on ionic vinyl monomer grafting reaction

Masatoshi Hasegawa, Masakatsu Kochi, Itaru Mita and Rikio Yokota 349 Molecular aggregation and fluorescence spectra of aromatic polyimides

M. Nasir and C. H. Choo 355 Cure characteristics and mechanical properties of carbon black filled styrene–butadiene rubber and epoxidized natural rubber blends

C. Mijangos, G. Martínez, A. Méndez, J. M. Gómez-Elvira and J. Millán 361 Stereoselective nucleophilic substitution on poly(vinyl chloride) in concentrated dioctylphthalate solution as an approach to substitution in the melt

Richard Voyer et Robert E. Prud'homme 365 Stéréocomplexation de chaînes isotactiques dérivées de poly(β-propiolactones) β-substituées

F. Normand, X. W. He, J. M. Widmaier, G. C. Meyer and J. E. Herz 371 Linear polycondensation of α,ω-dihydroxy polydimethylsiloxane, catalyzed by stannous octoate

Huda Y. Al-Haddad and W. I. Bengough 375 Measurement of monomer reactivity ratios in the copolymerization of styrene and diethyl fumarate photoinitiated by benzil

E. Loubaki, S. Sicsic et F. Le Goffic 379 Modification chimique du chitosane avec la δ-gluconolactone, la β-propiolactone et le glycidol

Akira Matsumoto, Hiroyuki Ando and Masayashi Oiwa 385 Gelation in the copolymerization of methyl methacrylate with trimethylolpropane trimethacrylate

M. A. Zhuravlev and V. B. Ivanov 391 Mechanism of photochemical dehydrochlorination of poly(vinyl chloride)

Hassen Foued Ellouze, Blaise Ngom et Bernard Auclair 395 Interprétation de la perméabilité hydraulique d'une membrane échangeuse de cations à l'aide du modèle à solution interstitielle hétérogène

M. Statheropoulos and G. Kakali 405 A parallel study of PVC degradation and stabilization by Ba/Cd stearates using differential scanning calorimetry and mass spectrometry

M. F. Grenier-Loustalot, M. Audenaert, J. Boutillier and D. Lecacheux 411 Etude structurale (séquence, tacticité, branchement alkyl) de copo éthylène, acrylate d'hydroxyéthyle et acétate de vinyle par RMN ^{1}H et ^{13}C haute résolution dans les liquides

H. S. Patel and T. B. Shah 419 Synthesis and characterization of thermally stable polymers: poly(keto-amines)

Short Communications

F. E. Okieimen, J. E. Nkumah and F. Egharevba 423 Studies on the grafting of acrylic acid on starch

A. Mahammad Ibrahim, V. Mahadevan and M. Srinivasan 427 Synthetic studies on aliphatic–aromatic copolyureas

NUMBER 5

M. A. Diab, A. Z. El-Sonbati and A. El-Dissouky 431 Thermal degradation of poly(acryloyl chloride) and copolymers of acryloyl chloride with methyl methacrylate

F. Zamora, M. C. Gonzalez and J. J. Del Val 435 A possible charge-transfer complex in nitrated poly(*N*-vinylcarbazole)

S. Sendhilnathan, S. Bagchi, S. K. Nema and R. P. Singh 441 Ultrasonic and rheological investigations of solid propellant binders

S. Shaw and R. P. Singh 445 Compatibility studies on polystyrene/ethylene–propylene–diene rubber based graft polyblends

Hiroshi Tanaka, Fumie Kohrogi and Kazuhiko Suzuki 449 Temperature dependence of proton spin-lattice and spin-spin relaxation times in isotactic polypropylene. Effect of annealing

Anastasios P. Melissaris and John A. Mikroyannidis 455 New crosslinkable polyimides, polyamides and polyureas derived from 2,4,6-tris(4-aminophenoxy)-s-triazine

G. P. Rajendran, V. Mahadevan and M. Srinivasan 461 Synthesis of some low glass transition temperature polytetrahydrofuran polymers

I. G. Popović, L. Katsikas and W. Schnabel 465 The kinetics of polymer degradation in solution—XIV. Radiolysis of poly(dimethyl itaconate)

J. Baselga, M. A. Llorente, I. Hernández-Fuentes and I. F. Piérola 471 Network defects in polyacrylamide gels

J. Baselga, M. A. Llorente, I. Hernández-Fuentes and I. F. Piérola 477 Polyacrylamide gels. Process of network formation

V. Pasquet, M. F. Vallat et J. Schultz 481 Effet du mélangeage sur les masses moléculaires d'élastomères avant et après réticulation

G. Manivannan and P. Maruthamuthu 487 Peroxo salts as initiators of vinyl polymerization—V. Polymerization of acrylonitrile initiated by the peroxomonosulphate–thioglycolic acid system

M. Mouzali, J. Lacoste et M. J. M. Abadie 491 Fonctionnalisation de copolymères (styrène-b-isoprène) par l'épichlorhydrine

T. L. Simándi, A. Rockenbauer and F. Tüdős 501 Addition of radicals to quinones—III. ESR study of some radical reactions of 2,6-dialkyl-1,4-benzoquinones

P. K. Sengupta and M. Modak 509 Photopolymerization of methyl methacrylate using mercaptobenzthiazole as photoinitiator—a kinetic study

Codou Mar, Christian Larchet et Bernard Auclair 515 Etude de la pénétration d'un électrolyte fort monovalent dans une membrane échangeuse d'ions: "modèle à solution interstitielle hétérogène"

Short Communications

C. A. Barson, J. C. Bevington, S. W. Breuer and T. N. Huckerby 527 The reactivities of α-methylstilbene and α,β-dimethylstilbene towards the benzoyloxy radical

P. Šimon, P. Černay and L. Valko 531 On the possibility of both-sided polyene sequences growth in the dehydrochlorination of PVC

NUMBER 6

Oskar Friedrich Olaj, Irene Schnöll-Bitai and Peter Kremminger 535 Evaluation of individual rate constants from the chain-length distribution of polymer samples prepared by intermittent (rotating sector) photopolymerization—2. The copolymerization system styrene–methyl methacrylate

Malcolm B. Huglin, Stephen J. O'Donohue and Mostafa A. Radwan 543 Refractometric and light scattering parameters at 633 nm for polystyrene solutions

L. H. Tagle, F. R. Diaz and P. Salas 549 Polymerization by phase transfer catalysis—9. Bisphenol-A copoly(carbonate–thiocarbonate)s synthesis

Francesco Paolo La Mantia and Antonino Valenza 553 Mechanical properties–structure relationships for immiscible blends of low density polyethylene with nylon-6

John A. Mikroyannidis 557 Polyamides, polyimides and bismaleimides derived from 2,6-di(3-aminostyryl)pyridine

K. K. Chee 567 Effect of polydispersity on Huggins coefficient of polystyrene solutions

S. H. Goh and S. Y. Lee 571 Miscibility of bromobenzylated poly(2,6-dimethyl-1,4-phenylene oxide) with poly(*p*-methylstyrene)

Ping Xu, Dafei Zhou and Deren Zhao 575 Studies of the thermal stability of poly(vinyl chloride)—I. Influence of light on the thermal stability of PVC

Ping Xu, Dafei Zhou and Deren Zhao	581	Studies of the thermal stability of poly(vinyl chloride)—II. Influence of molecular weight on the thermal stability of PVC
Hans R. Kricheldorf and Movita Sumbél	585	Polylactones—18. Polymerization of L,L-lactide with Sn(II) and Sn(IV) halogenides
M. F. Achard, M. Mauzac, H. Richard, G. Sigaud and F. Hardouin	593	Changes in the mesogenic properties of siloxane copolymers and polysiloxane blends
Xu Jianmin, Son Xubing and Zhou Zhiping	601	Partition function of polymethylene
V. L. Rao and G. N. Babu	605	Copolymerization of styrene, acrylonitrile and methyl methacrylate with γ-methacryloxypropyl trimethoxy silane
Shin-ichi Kuroda and Itaru Mita	611	Degradation of aromatic polymers—II. The crosslinking during thermal and thermo-oxidative degradation of a polyimide
Shin-ichi Kuroda, Ayako Nagura, Kazuyuki Horie and Itaru Mita	621	Degradation of aromatic polymers—III. Crosslinking and chain scission during photodegradation of polysulphones
Announcement	i	

NUMBER 7/8

THE JOHN BEVINGTON HONOUR ISSUE

J. V. Dawkins	VII	Editorial
C. A. Barson and J. R. Ebdon	IX	Tribute to Professor John Bevington
Geoffrey Allen	XIII	A rather forward foreword
Alastair M. North	XV	Professor John C. Bevington. A message on the occasion of his retiral as Professor of Chemistry, University of Lancaster
Kenneth F. O'Driscoll and Junfu Huang	629	The rate of copolymerization of styrene and methylmethacrylate—I. Low conversion kinetics
O. F. Olaj and I. Schnöll-Bitai	635	Laser-flash-initiated polymerization as a tool for evaluating (individual) kinetic constants of free-radical polymerization—5. Complete analysis by means of a single experiment
T. Otsu, T. Matsunaga, A. Kuriyama and M. Yoshioka	643	Living radical polymerization through the use of iniferters: controlled synthesis of polymers
Kyung Y. Park, Everett R. Santee and H. James Harwood	651	Characterization of styrene–acrylamide copolymers prepared in various solvents by intrasequence cyclization
Douglas A. Cywar and David A. Tirrell	657	Model copolymerization reactions. Initiation of the copolymerization of methyl methacrylate and acrylonitrile by 1,1′-azobis(1-phenyl[1-^{13}C]ethane)
G. S. Park and A. H. Saremi	665	A radiotracer technique for estimating double bonds in polymers: the double bond content of poly(vinyl chloride) produced by free radical polymerization in chloroethane solvents

S. Bottle, W. K. Busfield, I. D. Jenkins, S. Thang, E. Rizzardo and D. H. Solomon	671	The mechanism of initiation in the free radical polymerization of *N*-vinylcarbazole and *N*-vinylpyrrolidone
J. Lane and B. J. Tabner	677	A spin-trap study of the radical homopolymerization of styrene initiated by benzoyl peroxide
C. H. Bamford	683	The "group-termination coefficient" in the analysis of kinetic schemes of polymerizations with size-dependent termination coefficients
Alexander S. Dunn	691	Latex particle nucleation in emulsion polymerization
D. J. Hourston and J. Romaine	695	Modification of natural rubber latex—I. Natural rubber–polystyrene composite latices synthesized using an amine-activated hydroperoxide
Richard G. Jones, Yoshiaki Matsubayashi and Neville J. Haskins	701	Mechanism of the radiation-induced crosslinking of copolymers of chloromethylstyrene and methylstyrene
Nolan Lee and K. E. Russell	709	Free radical grafting of *N*-methylmaleimide to hydrocarbons and polyethylene
Adolphe Chapiro	713	Influence of solvents on apparent reactivity ratios in the free radical copolymerization of polar monomers
C. A. Barson and D. R. Fenn	719	A method for determining reactivity ratios when copolymerizations are influenced by the penultimate group effects of both monomers
A. D. Jenkins	721	Revised patterns of reactivity in radical polymerization
Dietrich Braun, Hans Jörg Lindner and Hartmut Tretner	725	Initiation of polymerization with substituted ethanes—12. Free radical polymerization of methyl methacrylate and styrene initiated with 3-methoxycarbonyl-3-methyl-2,2,5,5,-tetraphenylhexanedinitrile
J. Ferguson and A. Eboatu	731	Redox-initiated template polymerization of acrylic acid by means of Fenton's reagent: initiator complexation
J. M. G. Cowie, S. H. Cree and R. Ferguson	737	Alternating copolymerization of 2,4-dicyanobut-1-ene and α-methyl styrene
R. A. Anderson, K. Davidson and I. Soutar	745	Developments of macromolecular scintillators—I. Synthesis and characterization of copolymers of vinyl-t-butyl PBD
Peter van Ballegooie and Alfred Rudin	753	High conversion copolymers of styrene and *ortho*-vinylbenzaldehyde
J. R. Ebdon, N. J. Flint and P. Hodge	759	Preparation of terminally functionalized (telechelic) methyl methacrylate oligomers by the oxidative cleavage of statistical methyl methacrylate/diene copolymers with ozone
Julia Krstina, Graeme Moad and David H. Solomon	767	"Weak links" in polystyrene—thermal degradation of polymers prepared with AIBN or benzoyl peroxide as initiator

G. Gordon Cameron, Malcolm D. Ingram, M. Younus Qureshi, Helen M. Gearing, Luigi Costa and Giovanni Camino 779 The thermal degradation of poly(ethylene oxide) and its complex with NaCNS

P. E. M. Allen, D. J. Bennett, S. Hagias, A. M. Hounslow, G. S. Ross, G. P. Simon, D. R. G. Williams and E. H. Williams 785 The radical polymerization of dimethacrylate monomers—the use of NMR spectrometry to follow the development of network structure

Allan H. Fawcett and Ursula Smyth 791 Terpolymers of styrene, hex-1-ene and SO_2

S. Bywater, P. Lachance and P. E. Black 801 Lithium alkyl initiated polymerization of butadiene in the presence of *cis*-*N*,*N*,*N*′,*N*′-tetramethyl-1,2-diaminocyclopentane

H. T. Ho, K. J. Ivin, B. S. R. Reddy and J. J. Rooney 805 Metathesis polymerization of substituted norbornenes: microstructure of the polymers of some ester derivatives

W. James Feast and Stephen Matuszczak 813 The synthesis and polymerization of 4-(phenylmethyl)-phenoxymethyloxirane(I) and 4-(1-phenylethyl)-phenoxymethyloxirane(II)

S. P. Roe and D. C. Sherrington 825 Polymeric sorbents for the separation of binary aqueous mixtures of acetone and ethanol

C. Campbell, F. Heatley, G. Holcroft and C. Booth 831 Preparation and ^{13}C NMR spectroscopy of uniform oligopropylene glycols

N. C. Billingham, P. D. Calvert and A. Uzuner 839 Studies of diffusion in polymers by ultraviolet microscopy—I. Diffusion of stabilizing additives in polypropylene

Jerzy Majnusz and Robert W. Lenz 847 A detailed study of the phase behavior of a series of thermotropic poly(2-alkyl-1,4-phenylene terephthalate)s

M. B. McCool and E. Senogles 857 The self-catalysed hydrolysis of poly(*N*,*N*-dimethylaminoethyl acrylate)

T. N. Huckerby, I. A. Nieduszynski, G. H. Cockin, J. M. Dickenson, H. Morris, P. N. Sanderson and D. J. Thornton 861 An investigation of a maximum entropy method for the processing of ^{1}H and ^{13}C NMR spectra from glycosaminoglycan oligo- and poly-saccharides

E. Osman, A. El-Kady and S. H. Kandil 871 Restorative resins: strength versus quantity of residual monomer as evaluated by infrared spectroscopy

Short Communication
Peter H. Plesch 875 An account of the propagating species in cationic polymerisations

NUMBER 9

A. Chapiro, J. Dulieu, Z. Mankowski et N. Schmitt 879 Influence des solvants sur la copolymérisation de l'acide acrylique avec l'acrylonitrile et l'acrylamide

C. Rogueda, M. Tardi, A. Polton and P. Sigwalt 885 Homopolymerization and copolymerization of methyl methacrylate in the presence of complexing agents—III. Investigation of the composition of copolymers of methyl methacrylate with styrene

J. I. Eguiazábal and J. Nazábal 891 Effect of reprocessing on the properties of bisphenol-A polycarbonate

A. Dimian, G. Villoutreix et R. Berlot 895 Influence de l'histoire thermomécanique sur la microstructure et sur certaines propriétés du polyoxyméthylène injecté

Michèle Bolte and Michel Troquet 905 Polymerization of acrylamide photo-electrochemically initiated and controlled by chromium(VI)

D. J. T. Hill, A. P. Lang, J. H. O'Donnell and P. W. O'Sullivan 911 Determination of reactivity ratios from analysis of triad fractions—analysis of the copolymerization of styrene and acrylonitrile as evidence for the penultimate model

Zbigniew Turzyński, Konrad Witkowski, Leszek Woliński and Jerzy Szafko 917 Characterization by light scattering of simultaneous polymer chain scission and cross-linking processes

A. K. Kulshreshtha, G. C. Pandey, S. F. Xavier and J. S. Anand 925 SEM fractographic studies on PVC/ABS polyblends

Carlos Marco, M. Angeles Gómez, José G. Fatou and Antonio Bello 929 Morphology of poly(3,3′diethyloxetane)

S. Aksoy, M. Balkan and K. Alyürük 935 Polymerization of propylene oxide and copolymerization of carbon disulphide and propylene oxide with xanthate salts

H. David, J. Bouzon and J. M. Vergnaud 939 Modelling of matter transfer with a polymer device made of a core and shell. Effect of the capacity of absorption by the silicone shell

W. Adames, W. Breuer, A. Michalczyk and W. Borchard 947 Differential vapour pressure osmometry—I. Description of the method

W. Adames, A. Michalczyk and W. Borchard 951 Differential vapour pressure osmometry—II. Determination of the thermodynamic properties of oligostyrene/cyclohexane solutions

A. Michalczyk and W. Borchard 957 Differential vapour pressure osmometry—III. Determination of the thermodynamic properties of the system PEO/H_2O

Oskar Friedrich Olaj and Gerhard Zifferer 961 Kinetics of pseudostationary free radical polymerization—I. A first approach

N. B. Valiotti, S. A. Nenakhov and G. E. Zaikov 967 The role of thermal expansions in the heat-induced relaxation of uniaxially-strained HDPE

Short Communications

S. Packirisamy and T. M. Vijayan 969 Addition polyimide based on monoitaconamic acid

J. R. Quintana, R. B. Stubbersfield, Colin Price and Issa A. Katime 973 An electron microscopy study of stereocomplex formation by poly(methyl methacrylate)

A. G. Andreopoulos 977 Hydrophilic polymer networks for agricultural uses

Mukul Biswas 981 Polymerization catalysts: 3d-metal ions bound to polymer or to 13X-molecular sieves

M. J. Guest and J. H. Daly 985 The use of glass transition data for characterizing polycarbonate-based blends

G. Spiliopoulos, M. Statheropoulos and G. Parissakis 989 Mass spectrometric study of the stabilization of PVC with dioctyltin dithioglycolic acid ester

NUMBER 10

R. M. Hassan, M. Th. Makhlouf, A. M. Summan and A. Awad	993	Influence of frequency on specific conductance of polyelectrolyte gels with special correlation between strength of chelation and stability of divalent metal alginate ionotropic gels
S. H. Goh and S. Y. Lee	997	Miscibility of poly(2.6-dimethyl-1,4-phenylene oxide) with iodinated polystyrene
B. L. Rivas and G. del C. Pizarro	1001	Copolymerization via zwitterion of 2,4,4-trimethyl-2-oxazoline with *N*-phenylmaleimide and *p*-methoxyphenylmaleimide. Part 16
H. David, J. Bouzon and J. M. Vergnaud	1007	Controlled absorption and release of an active agent by using EVAc beads. Effect of various parameters
A. Aboutaybi, J. Bouzon and J. M. Vergnaud	1013	Modelling the process of drying of plasticized PVC previously immersed in n-hexane
Hironobu Fukuzaki, Masaru Yoshida, Masaharu Asano and Minoru Kumakura	1019	Synthesis of copoly(D,L-lactic acid) with relatively low molecular weight and *in vitro* degradation
I. Devedjiev, V. Ganev and G. Borisov	1027	Effectiveness of derivatives of hypophosphorous acid as flame retardants for rigid polyurethane foams
Yoichi Shindo, Hiromasa Sato, Tokuko Sugimura, Kazuyuki Horie and Itaru Mita	1033	Photocrosslinking of polymers containing cinnamoyl groups: the effects of cinnamoyl contents in copolymers on the reaction in solutions
Mario Gleria, Francesco Minto, Pietro Bortolus, William Porzio and Alberto Bolognesi	1039	Photochemical behaviour of poly(organophosphazenes)—Part VII. Direct and sensitized photochemistry of poly[bis(4-isopropylphenoxy)]phosphazene in solution and in film
Premamoy Ghosh and Gauri Sankar Mukherjee	1049	Comparative kinetics of photopolymerization of methyl methacrylate using chloro-derivatives of acetic acid in combination with dimethylaniline as photoinitiators
Ryszard Mieczkowski	1055	The determination of the solubility parameter components of polystyrene
L. Gargallo, D. Radić, M. Yazdani-Pedram and A. Horta	1059	Properties of polyelectrolytes: poly(mono-methyl itaconate). Conformational and viscometric behaviour in dilute solution
Li Houqiang, Chen Deben, He Jianye and Huang Guanglin	1065	Measurement of the Mark–Houwink constants and the unperturbed molecular parameters of polyepichlorohydrin by GPC–LALLS
Z. Vymazal, L. Mastný and Z. Vymazalová	1069	Effect of stabilizers in the thermal treatment of PVC—XIX. On the mechanism of thermal stabilization of PVC by carboxylates of co-ordination-unsaturated metals
Short Communications		
Z. Vymazal, L. Mastný, Z. Vymazalová, J. Ederová and A. Blažek	1077	Effect of stabilizers in the thermal treatment of PVC. XX. A DSC study of the stabilization of PVC by cadmium and barium stearates
Masamitsu Shirai, Masako Suzuki, Takayuki Saito, Masahiro Tsunooka and Makoto Tanaka	1079	Synthesis and photochemical behaviour of polymers bearing para-(formylamino)styrene units

M. Hassanein, A. Akelah, A. Selim and H. El Hamshary	1083	Chemically modified poly(methyl methacrylate) resin-bound triphenylphosphonium bromide as halogen-carrier in the bromination of organic compounds
John Morgan, Allan W. McLennaghan and Richard A. Pethrick	1087	Polymer electrolytes: poly(ethylene adipate)–sodium iodide complexes
M. M. Salunkhe, M. T. Thorat, R. B. Mane and P. P. Wadgaonkar	1091	Polymer-supported reagents: a simple and efficient method for the synthesis of esters of 2,4-dichlorophenoxyacetic acid

NUMBER 11

D. A. Topchiev, Yu. A. Malkanduev, Yu. G. Yanovsky, V. D. Oppengeim and V. A. Kabanov	1095	Some features of dimethyl diallyl ammonium chloride high conversion polymerization in aqueous solutions
Benny K. George and V. N. Rajasekharan Pillai	1099	*N*-Bromoderivatives of *N,N'*-methylene-bis-acrylamide-crosslinked polyacrylamide gels as oxidizing reagents: a synthetic and structural investigation
J. P. Monthéard, J. M. Vergnaud et N. Chafi	1103	Hydrolyses de polymères acryliques et méthacryliques porteurs de fonctions amides
Hardy Reuter, Siegfried Höring and Joachim Ulbricht	1113	On the anionic polymerization of ethylene oxide with monofunctional initiators
Hong-Quan Xie, Jin Liu and Dong Xie	1119	Some properties of three types of copolymers with uniform polyoxyethylene grafts
Mohamed Naceur Belgacem, Joel Quillerou, Alessandro Gandini, Jeanine Rivero and Gabriel Roux	1125	Urethanes and polyurethanes bearing furan moieties—2. Comparative kinetics and mechanism of the formation of furanic and other monourethanes
J. Stehlíček, L. B. Danilevskaya and J. Šebenda	1131	Anionic polymerization of ϵ-caprolactam—LXI. Transacylation of imides and salts derived from various lactams and *N*-alkyl amides
B. D. Gupta and A. Chapiro	1137	Preparation of ion-exchange membranes by grafting acrylic acid into pre-irradiated polymer films—1. Grafting into polyethylene
B. D. Gupta and A. Chapiro	1145	Preparation of ion-exchange membranes by grafting acrylic acid into pre-irradiated polymer films—2. Grafting into Teflon–FEP
Jan Plaček and Ferenc Szőcs	1149	Radicals in radiolyzed poly(methyl methacrylate)
Kenji Kamide, Shigenobu Matsuda, Hironobu Shirataki and Yukio Miyazaki	1153	Phase equilibria of quasi-ternary systems consisting of multicomponent polymers in a binary solvent mixture—VIII. Successive precipitation and solution fractionations
M. D. Fernández and G. M. Guzmán	1165	Aqueous polymerization of methyl methacrylate initiated by Ce(IV)–disaccharide redox systems. Effects of acid concentration and additives
J. J. Iruin, J. I. Eguiazábal and G. M. Guzmán	1169	Ternary blends containing polyarylate, polycarbonate and poly(butylene terephthalate)
D. J. Cumberland, R. J. Crawford and D. Sprevak	1173	A statistical model for the random packing of real powder particles

Faramarz Afshar Taromi, Zlatka Grubisic-Gallot and Paul Rempp 1183 Characterization of star-shaped polystyrene samples by size exclusion chromatography

Short Communication
G. Spadaro and G. Rizzo 1189 Mechanical properties of blends of low density polyethylene with isotactic polypropylene II. Effect of mixing temperature and rate

Announcement i

NUMBER 12

Miguel Valero and John C. Bevington I Dedications to Professor Gonzalo Martín Guzmán

M. L. Leza, I. Casinos and G. M. Guzmán 1193 Graft copolymerization of 4-vinylpyridine onto cellulosics. Effect of temperature

Masaru Yoshida, Masaharu Asano and Minoru Kumakura 1197 A new temperature-sensitive hydrogel with α-amino acid group as side chain of polymer

Bernard Leclerc, Guillaume Conrath, Françoise Falson-Reig and Guy Couarraze 1203 Evaluation of diffusion in a polymeric system by measurement of the displacement of the solubility front

R. M. Hassan, A. M. Summan, M. K. Hassan and S. A. El-Shatoury 1209 Kinetics and mechanism of sol–gel transformation on polyelectrolytes of some transition metal ions, especially cobalt alginate ionotropic membranes

S. Lazcano, C. Marco, J. G. Fatou and A. Bello 1213 Growth rates and regime transitions in poly(3,3-dimethylthietane)

N. S. Allen, S. J. Hardy, A. Jacobine, D. M. Glaser and F. Catalina 1219 Photochemistry and photopolymerization activity of novel perester derivatives of fluorenone

B. L. Rivas and G. del C. Pizarro 1227 Copolymerization via zwitterions of *p*-nitrophenyl maleimide with oxazoline derivatives—15

D. Subotic, J. Ferguson and B. C. H. Warren 1233 Polymer–polymer interactions and the influence of small molecules on the complexation reaction

J. Spěváček, W. Hiller, W. Hettrich and D. Joel 1239 ^{1}H-NMR study of association in segmented polyurethane solutions

K. S. Minsker, S. V. Kolesov and G. E. Zaikov 1245 Stabilization of poly(vinyl chloride) by β-dicarbonyl compounds

C. Rogueda, A. Polton, M. Tardi and P. Sigwalt 1251 Homopolymerization and copolymerization of methyl methacrylate in the presence of complexing agents—IV. Influence of the nature of the complexing agent

C. Rogueda, A. Polton, M. Tardi and P. Sigwalt 1259 Homopolymerization and copolymerization of methyl methacrylate in the presence of complexing agents—V. Influence of the nature of the solvent

E. L. Madruga and J. San Román 1269 Kinetic study of the free radical copolymerization of styrene with methyl methacrylate in benzene

Hans R. Kricheldorf and Jörg Jenssen 1273 Polymers of carbonic acid—2. Synthesis and polymerization of 2,2′-dihydroxybiphenyl carbonate (4,5,6,7-dibenzo-2-oxo-1,3-dioxacycloheptane)

T. Sato, K. Morino, H. Tanaka and T. Ota 1281 Radical polymerization of *N*-phenylitaconimide

Premamoy Ghosh, Samir Biswas and Utpal Niyogi 1285 Photopolymerization of methyl methacrylate using a combination of Michler's ketone and benzoyl peroxide as photoinitiator

Kazimiera Suchocka-Gałaś 1291 Microphase separation in ionomers based on styrene–acrylic acid copolymers

Allan W. McLennaghan, Alan Hooper and Richard A. Pethrick 1297 Linear segmented polyurethane electrolytes—II. Conductivity and related properties

G. Bauduin, B. Boutevin, A. Rousseau et K. Tadlaoui 1303 Analyse quantitative des télomères avec un détecteur réfractométrique différentiel en chromatographie d'exclusion

D. Fernandez-Moreno, C. Fernandez-Sanchez, J. G. Rodriguez and A. Alberola 1309 Ziegler–Natta polymerization of styrene and 2-vinylpyridine with the homogeneous catalyst $AlEt_3$–VCl_4: influence of heteroaromatic bases

M. J. Fabre, L. H. Tagle, L. Gargallo, D. Radić and I. Hernández-Fuentes 1315 Partial specific volume and specific refractive index increment of some poly(carbonate)s and poly(thiocarbonate)s

Short Communication
Eva Prokopová and Pavel Schmidt 1319 Ordered structures in swollen poly(vinyl alcohol) films

Announcement i